


Maine Statewide Interoperability Field Operations Guide



Version Dated: March 22, 2017

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | Frequency Band | | | Description | |
|--|---|----------------|----------------|-------------|----------------|-------------|----------------|-------------------------------------|--|
| | | | | | VHF | | | MSCOMMNET Region Net page 1 | |
| Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks | |
| Duplex | Gray | All Govt | 151.1600 | 162.2 | 155.9700 | 162.2 | A | Gray RCC zone | |
| Duplex | Hosac Mtn | All Govt | 169.8875 | 162.2 | 159.1650 | 162.2 | A | Gray RCC zone | |
| Duplex | Mt Agamenticus | All Govt | 155.4525 | 162.2 | 156.1500 | 162.2 | A | Gray RCC zone | |
| Duplex | Ossipee Mtn | All Govt | 172.4250 | 162.2 | 159.3300 | 162.2 | A | Patch to Zone Dispatch: Gray RCC | |
| Duplex | Pleasant Mtn | All Govt | 169.6625 | 162.2 | 163.5750 | 162.2 | A | Gray RCC zone | |
| Duplex | Spruce Mtn | All Govt | 172.7750 | 162.2 | 161.4600 | 162.2 | A | Patch to Zone Dispatch: Gray RCC | |
| Duplex | York | All Govt | 159.4500 | 162.2 | 153.9200 | 162.2 | A | Patch to Zone Dispatch: Gray RCC | |
| Duplex | Augusta | All Govt | 155.8500 | 162.2 | 151.0625 | 162.2 | A | Augusta RCC Zone | |
| Duplex | Coggan's Hill | All Govt | 154.7250 | 162.2 | 159.3000 | 162.2 | A | Patch to Zone Dispatch: Augusta RCC | |
| Duplex | Cook Hill | All Govt | 151.1750 | 162.2 | 159.2400 | 162.2 | A | Augusta RCC Zone | |
| Duplex | Eaton Mtn | All Govt | 152.1425 | 162.2 | 159.3750 | 162.2 | A | Patch to Zone Dispatch: Augusta RCC | |
| Duplex | Granite Hill | All Govt | 151.3550 | 162.2 | 159.3825 | 162.2 | A | Augusta RCC Zone | |
| Duplex | Huntoon Hill | All Govt | 160.5300 | 162.2 | 159.2850 | 162.2 | A | Augusta RCC Zone | |
| Duplex | Mt Blue | All Govt | 172.6750 | 162.2 | 160.5900 | 162.2 | A | Augusta RCC Zone | |
| Duplex | Mt Ephraim | All Govt | 155.7300 | 162.2 | 159.4425 | 162.2 | A | Augusta RCC Zone | |
| Duplex | Sugarloaf Mtn | All Govt | 172.5750 | 162.2 | 154.7700 | 162.2 | A | Patch to Zone Dispatch: Augusta RCC | |
| Duplex | West Kennebago | All Govt | 167.7875 | 162.2 | 156.0900 | 162.2 | A | Augusta RCC Zone | |
| Duplex | Whitten Hill | All Govt | 161.1300 | 162.2 | 159.4050 | 162.2 | A | Patch to Zone Dispatch: Augusta RCC | |
| Duplex | Bald Mtn | All Govt | 157.5000 | 162.2 | 159.2700 | 162.2 | A | Patch to Zone Dispatch: Bangor RCC | |
| Duplex | Big Moose Mtn | All Govt | 155.4300 | 162.2 | 151.1900 | 162.2 | A | Bangor RCC Zone | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | Frequency Band | | | Description | |
|--|---|----------------|----------------|-------------|----------------|-------------|----------------|-------------------------------------|--|
| | | | | | VHF | | | MSCOMMNET Region Net page 2 | |
| Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks | |
| Duplex | Big Spencer | All Govt | 161.1300 | 162.2 | 158.4975 | 162.2 | A | Bangor RCC Zone | |
| Duplex | BOMARC | All Govt | 154.6575 | 162.2 | 159.3300 | 162.2 | A | Patch to Zone Dispatch: Gray RCC | |
| Duplex | Cadillac Mtn | All Govt | 160.8900 | 162.2 | 165.1375 | 162.2 | A | Patch to Zone Dispatch: Bangor RCC | |
| Duplex | Cooper | All Govt | 160.8600 | 162.2 | 159.4650 | 162.2 | A | Patch to Zone Dispatch: Bangor RCC | |
| Duplex | Fish Hill | All Govt | 154.7025 | 162.2 | 159.3375 | 162.2 | A | Patch to Zone Dispatch: Gray RCC | |
| Duplex | Garland | All Govt | 151.2200 | 162.2 | 157.7625 | 162.2 | A | Patch to Zone Dispatch: Bangor RCC | |
| Duplex | Musquash Mtn | All Govt | 155.4000 | 162.2 | 161.3400 | 162.2 | A | Patch to Zone Dispatch: Bangor RCC | |
| Duplex | Norway Bluff | All Govt | 151.7300 | 162.2 | 159.7350 | 162.2 | A | Bangor RCC Zone | |
| Duplex | Passadumkeag | All Govt | 172.5250 | 162.2 | 160.0575 | 162.2 | A | Bangor RCC Zone | |
| Duplex | Priestly Mtn | All Govt | 152.5025 | 162.2 | 154.9275 | 162.2 | A | Bangor RCC Zone | |
| Duplex | Ashland | All Govt | 154.3250 | 162.2 | 159.1350 | 162.2 | A | Houlton RCC Zone | |
| Duplex | Benedicta | All Govt | 151.6700 | 162.2 | 155.7150 | 162.2 | A | Patch to Zone Dispatch: Houlton RCC | |
| Duplex | Chase Mtn | All Govt | 154.6725 | 162.2 | 153.8000 | 162.2 | A | Houlton RCC Zone | |
| Duplex | Cyr Mtn | All Govt | 159.4425 | 162.2 | 156.0525 | 162.2 | A | Houlton RCC Zone | |
| Duplex | Houlton | All Govt | 160.8000 | 162.2 | 151.2500 | 162.2 | A | Houlton RCC Zone | |
| Duplex | New Sweden | All Govt | 153.9425 | 162.2 | 156.1650 | 162.2 | A | Patch to Zone Dispatch: Houlton RCC | |
| Duplex | No 9 Mtn | All Govt | 151.2650 | 162.2 | 154.7325 | 162.2 | A | Patch to Zone Dispatch: Houlton RCC | |
| Duplex | Patten | All Govt | 158.8125 | 162.2 | 153.8975 | 162.2 | A | Houlton RCC Zone | |
| Duplex | Robinson Mtn | All Govt | 155.9400 | 162.2 | 161.2800 | 162.2 | A | Houlton RCC Zone | |
| Duplex | Saint Francis | All Govt | 154.7925 | 162.2 | 156.1350 | 162.2 | A | Patch to Zone Dispatch: Houlton RCC | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | | Frequency Band VHF | | Description State of Maine CONOP | |
|--|-----------------------|---|----------------|----------------|-------------|-----------------------|-------------|-------------------------------------|---------|
| | Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks |
| 1 | Simplex | SWSP | All Govt | 154.7100 | | 154.7100 | | A | |
| 2 | Simplex | NWCC | All Govt | 155.4750 | | 155.4750 | | A | |
| 3 | Simplex | EMS/LASAR | All Govt | 155.1600 | | 155.1600 | | A | |
| 4 | Simplex | SPCC | All Govt | 154.9350 | | 154.9350 | | A | |
| 5 | Simplex | SWF | All Govt | 154.3100 | | 154.3100 | | A | |
| 6 | Simplex | SWCC | All Govt | 154.6950 | | 154.6950 | | A | |
| 7 | Simplex | VCALL10 | All Govt | 155.7525 | 156.7 | 155.7525 | 156.7 | A | |
| 8 | Repeater | RegionNet | All Govt | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | | Frequency Band VHF | | Description Marine Frequencies | |
|--|-----------------------|---|----------------|----------------|-------------|------------------------------|-------------|--|---------------------|
| | Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks |
| 1 | Tactical | Marine - 06 | SAR | 156.3000 | | 156.3000 | | A | Safety and SAR |
| 2 | Tactical | Marine - 09 | Public Safety | 156.4500 | | 156.4500 | | A | Local Use |
| 3 | Tactical | Marine - 10 | Public Safety | 156.5000 | | 156.5000 | | A | Local Use |
| 4 | Tactical | Marine - 16 | SAR | 156.8000 | | 156.8000 | | A | Emergency/Distress |
| 5 | Tactical | Marine - 17 | Public Safety | 156.8500 | | 156.8500 | | A | State & Local Ops |
| 6 | Tactical | Marine - 21A | USCG | 157.0500 | | 157.0500 | | A | Coast Guard |
| 7 | Tactical | Marine - 22A | Safety | 157.1000 | | 157.1000 | | A | Coast Guard contact |
| 8 | Tactical | Marine - 23A | USCG | 157.1500 | | 157.1500 | | A | Coast Guard |
| 9 | Tactical | Marine - 81A | USCG | 157.0750 | | 157.0750 | | A | Environ Prot Ops |
| 9 | Tactical | Marine - 83A | USCG | 157.1750 | | 157.1750 | | A | Coast Guard contact |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | | Frequency Band VHF | | | Description FCC Interoperable Channels | |
|--|-----------------------|---|----------------|----------------|-------------|-----------------------|-------------|----------------|---|--|
| | Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks | |
| 1 | Simplex | VCALL10 | All Govt | 155.7525 | 156.7 | 155.7525 | 156.7 | A | | |
| 2 | Simplex | VTAC11 | All Govt | 151.1375 | 156.7 | 151.1375 | 156.7 | A | | |
| 3 | Simplex | VTAC12 | All Govt | 154.4525 | 156.7 | 154.4525 | 156.7 | A | | |
| 4 | Simplex | VTAC13 | All Govt | 158.7375 | 156.7 | 158.7375 | 156.7 | A | | |
| 5 | Simplex | VTAC14 | All Govt | 159.4725 | 156.7 | 159.4725 | 156.7 | A | | |
| 6 | Simplex | VFIRE21 | Fire | 154.2800 | 156.7 | 154.2800 | 156.7 | A | | |
| 7 | Simplex | VFIRE22 | Fire | 154.2650 | 156.7 | 154.2650 | 156.7 | A | | |
| 8 | Simplex | VFIRE23 | Fire | 154.2950 | 156.7 | 154.2950 | 156.7 | A | | |
| 9 | Simplex | VFIRE24 | Fire | 154.2725 | 156.7 | 154.2725 | 156.7 | A | | |
| 10 | Simplex | VFIRE25 | Fire | 154.2875 | 156.7 | 154.2875 | 156.7 | A | | |
| 11 | Simplex | VFIRE26 | Fire | 154.3025 | 156.7 | 154.3025 | 156.7 | A | | |
| 12 | Simplex | VMED28 | EMS | 155.3400 | 156.7 | 155.3400 | 156.7 | A | | |
| 13 | Simplex | VMED29 | EMS | 155.3475 | 156.7 | 155.3475 | 156.7 | A | | |
| 14 | Simplex | VLAW31 | Law | 155.4750 | 156.7 | 155.4750 | 156.7 | A | | |
| 15 | Simplex | VLAW32 | Law | 155.4825 | 156.7 | 155.4825 | 156.7 | A | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an “N” or a “W”, depending on whether the frequency is narrow or wide band. Mode refers to either “A” or “D” indicating analog or digital (e.g. Project 25) or “M” indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | | Frequency Band UHF | | Description FCC Interoperable Channels | |
|--|-----------------------|---|----------------|----------------|-------------|-----------------------|-------------|---|---------|
| | Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks |
| 1 | Repeater | UCAL40 | All Govt | 453.2125 | 156.7 | 458.2125 | 156.7 | A | |
| 2 | Simplex | UCAL40D | All Govt | 453.2125 | 156.7 | 453.2125 | 156.7 | A | |
| 3 | Repeater | UTAC41 | All Govt | 453.4625 | 156.7 | 458.4625 | 156.7 | A | |
| 4 | Simplex | UTAC41D | All Govt | 453.4625 | 156.7 | 453.4625 | 156.7 | A | |
| 5 | Repeater | UTAC42 | All Govt | 453.7125 | 156.7 | 458.7125 | 156.7 | A | |
| 6 | Simplex | UTAC42D | All Govt | 453.7125 | 156.7 | 453.7125 | 156.7 | A | |
| 7 | Repeater | UTAC43 | All Govt | 453.8625 | 156.7 | 458.8625 | 156.7 | A | |
| 8 | Simplex | UTAC43D | All Govt | 453.8625 | 156.7 | 453.8625 | 156.7 | A | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | Frequency Band VHF | | Description Androscoggin County EMA | | |
|--|-----------------------|---|----------------|----------------|-----------------------|----------------|--|----------------|---------|
| | Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks |
| 1 | Simplex | Andro EMA | EMA | 154.1150 | 192.8 | 154.1150 | 192.8 | A | |
| 2 | Simplex | Andro EMA Tac | EMA | 158.7450 | | 158.7450 | 173.8 | A | |
| 3 | Simplex | County Fire | FD | 154.2650 | | 154.2650 | 127.3 | A | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an “N” or a “W”, depending on whether the frequency is narrow or wide band. Mode refers to either “A” or “D” indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | Frequency Band | | | Description | |
|--|-----------------------|---|----------------|----------------|----------------|----------------|-------------|----------------------|-------------|
| | | | | | VHF | | | Aroostook County EMA | |
| | Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks |
| 1 | Simplex | AKEMA | EMA / IMAT | 154.0550 | | 154.0550 | | A | Talk Around |
| 2 | Repeater | AKEMA North | EMA / IMAT | 155.3100 | 141.3 | 156.0600 | 141.3 | A | Fort Kent |
| 3 | Repeater | AKEMA Central | EMA / IMAT | 154.0550 | 136.5 | 159.0600 | 136.5 | A | Caribou |
| 4 | Repeater | AKEMA South | EMA / IMAT | 154.3550 | 146.2 | 158.9550 | 146.2 | A | Houlton |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | | Frequency Band VHF | | Description Cumberland County EMA | |
|--|-----------------------|---|-----------------|----------------|-------------|------------------------------|-------------|---|--------------------------------------|
| | Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks |
| 1 | Simplex | EMA CALL | All-as Directed | 155.7600 | 192.8 | 155.7600 | 192.8 | A | EMA Interagency Hailing/Coordination |
| 2 | Simplex | EMA TAC 1 | All-as Directed | 155.1000 | 173.8 | 155.1000 | 173.8 | A | Mobile & Portable Only |
| 3 | Simplex | EMA TAC 2 | All-as Directed | 155.6400 | 173.8 | 155.6400 | 173.8 | A | Mobile & Portable Only |
| 4 | Simplex | EMA TAC 3 | All-as Directed | 155.6850 | 173.8 | 155.6850 | 173.8 | A | Restricted Use - contact CCEMA |
| 5 | Simplex | EMA TAC 4 | All-as Directed | 155.9550 | 173.8 | 155.9550 | 173.8 | A | Restricted Use - contact CCEMA |
| 6 | Simplex | EMA TAC 5 | All-as Directed | 155.3700 | 173.8 | 155.3700 | 173.8 | A | Restricted Use - contact CCEMA |
| 7 | Simplex | EMS 1 | Fire/EMS | 155.3850 | CSQ | 155.3850 | CSQ | A | |
| 8 | Repeater | CNTYFD | LE/Fire/EMS | 155.6250 | CSQ | 160.4550 | 107.2 | A | Request use from CCRRC |
| 9 | Repeater | CNTYLE | LE/Fire/EMS | 154.8750 | CSQ | 160.5450 | 107.2 | A | Request use from CCRRC |
| 10 | Repeater | T-PIKE | LE/Fire/EMS | 151.0700 | 107.2 | 155.9700 | 107.2 | A | ME Turnpike Interoperability |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | Frequency Band VHF / UHF | | | Description Franklin County | |
|--|---|----------------|----------------|-------------|-----------------------------|-------------|----------------|--------------------------------|--|
| Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks | |
| Repeater | FN EMA | Public Safety | 158.8275 | D612 | 154.8525 | D612 | A | Mosher Hill Tower | |
| Repeater | FN EMA | Public Safety | 158.8275 | D624 | 154.8525 | D624 | A | Mt. Blue Tower | |
| Repeater | FN EMA | Public Safety | 155.7750 | 100 | 151.4375 | 100 | A | West Kennebago Tower | |
| Simplex | EMA TAC | Public Safety | 158.8275 | D612 | 158.8275 | D612 | A | Talk Around | |
| Simplex | EMA UHF | Public Safety | 453.2250 | 125 | 453.2250 | 125 | A | Talk Around | |
| Repeater | FN SO | Law Enf. | 155.2500 | 179.9 | 151.4300 | 179.9 | A | Mosher Hill Tower | |
| Repeater | FN SO | Law Enf. | 155.2500 | 123 | 159.2325 | 123 | A | Sugarloaf Tower | |
| Repeater | COUNTY FIRES | Fire | 155.0550 | 103.5 | 151.3400 | 103.5 | A | Mosher Hill Tower | |
| Repeater | COUNTY FIRE N | Fire | 158.8800 | D612 | 155.0100 | D612 | A | Sugarloaf Tower | |
| Repeater | RANGELEY | Public Safety | 154.0850 | 100 | 155.9550 | 100 | A | Rangeley Tower | |
| Repeater | NORTHSTAR S | EMS | 152.3750 | D351 | 157.6350 | D351 | A | York Hill Tower | |
| Repeater | NORTHSTAR N | EMS | 155.2200 | D311 | 151.3025 | D311 | A | Sugarloaf Tower | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | | Frequency Band | | Description | |
|--|-----------------------|---|----------------|----------------|-------------|----------------|-------------|----------------|-------------------|
| | | | | | | VHF | | Hancock County | |
| | Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks |
| 1 | Simplex | Hancock EMA | EMA/IMAT | 155.8350 | 151.4 | 155.8350 | 151.4 | A | N Ellsworth Tower |
| 2 | Repeater | County Fire N | FD | 154.2500 | 151.4 | 153.8900 | 94.8 | A | N Ellsworth Tower |
| 3 | Repeater | County Fire S | FD | 154.2500 | 151.4 | 153.8900 | 151.4 | A | Cadillac Mtn |
| 4 | Repeater | County Fire W | FD | 154.2500 | 151.4 | 153.8900 | 100.0 | A | Blue Hill |
| 5 | Repeater | Hancock RCC | Law | 155.0550 | 110.9 | 153.9050 | 110.9 | A | Cadillac Mtn |
| 6 | Repeater | Hancock EMA Rptr | EMA/IMAT | 155.8350 | 151.4 | 151.2050 | 127.3 | A | KNER798 Bull Hill |
| 7 | Repeater | County Fire E | FD | 154.2500 | 151.4 | 153.8900 | 127.3 | A | WPXL919 Bull Hill |
| 8 | Repeater | County EMS E | EMS | 159.1800 | DCS 306 | 156.2400 | 127.3 | A | WQAQ315 Bull Hill |
| 9 | Repeater | Hancock RCC | Law | 155.0550 | 110.9 | 153.9050 | 127.3 | A | WQAQ315 Bull Hill |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| | | | | | | | | | | |
|---|--|--|--|--|------------------------------|---------------------------------------|--|--|--|--|
| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | Frequency Band VHF | Description Kennebec County | | | | |
|---|--|--|--|--|------------------------------|---------------------------------------|--|--|--|--|

| | Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks |
|---|-----------------------|---|----------------|----------------|-------------|----------------|-------------|----------------|-----------------------------|
| 1 | Repeater N | KCEMA | All Gov't | 155.8050 | dpl 612 | 151.2500 | dpl 612 | A | Shared with SO |
| 2 | Repeater C | KCEMA | All Gov't | 155.8050 | dpl 712 | 151.2500 | dpl 712 | A | |
| 3 | Repeater S | KCEMA | All Gov't | 158.2350 | pl 123 | 151.2500 | dpl 123 | A | |
| 4 | Tactical | KCEMA | All Gov't | 155.8050 | | 155.8050 | | A | |
| | | | | | | | | | Note: simplex on scene |
| | | | | | | | | | will be the rx freq of each |
| | | | | | | | | | repeater. |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an “N” or a “W”, depending on whether the frequency is narrow or wide band. Mode refers to either “A” or “D” indicating analog or digital (e.g. Project 25) or “M” indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | | Frequency Band | | Description | | | |
|--|---|---|----------------|-------------|----------------|----------------|----------------|-------------|-------------------------------|--|--|
| | | | | | | VHF | | Knox County | | | |
| Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks | | | |
| 1 | Simplex | KXEMA | EM Forces | 155.7450 | | 155.7450 | | A | Talkaround | | |
| 2 | Repeater (*Note 1) | KRCC | Fire/EMS | 152.2025 | 203.5 | 158.6625 | 203.5 | A | Simulcast-Multi Site | | |
| 3 | Repeater (*Note 1) | KNOX LAW | LAW | 153.9950 | 203.5 | 155.8725 | 203.5 | A | Simulcast-Multi Site | | |
| 4 | Repeater | SOUTH TAC | FD/PD/EMS | 155.3850 | 103.5 | 159.0600 | 103.5 | A | Benner Hill Repeater | | |
| 5 | Repeater | NORTH TAC | FD/PD/EMS | 152.5625 | 127.3 | 157.8300 | 127.3 | A | Coggins Hill Repeater | | |
| 6 | Repeater (*Note 2) | RACESSIML | Amateur/RACES | 147.060 | 91.5 | 147.660 | 91.5 | A | Amateur Simulcast- Multi Site | | |
| | | Note 1: Voted SIMULCAST Multi-site system. Benner Hill, Coogins Hill, Ragged Mountain, St George, Vinalhaven | | | | | | | | | |
| | | Note 2: Voted Amateur Multi-Site Simulcast system. Benner Hill-Lenfest Mountain. This system also multi-casts from the Lenfest Repeater Rx 145.490/ Tx 144.890 PL 91.5 | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | | Frequency Band | | Description | | |
|--|-----------------------|---|----------------|----------------|-------------|----------------|-------------|----------------|-----------------------|--|
| | | | | | | VHF | | Lincoln County | | |
| | Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks | |
| 1 | Repeater | LNEMA | All Govt | 155.9175 | 229.1 | 150.7750 | 229.1 | A | | |
| 2 | Simplex | LNEMA TA | All Govt | 155.9175 | | 155.9175 | 229.1 | A | | |
| 3 | Repeater | County Fire | Fire/EMS | 155.9850 | 118.8 | 158.7750 | 127.3 | A | Simulcast | |
| 4 | Repeater | County Law | Law | 154.0475 | 110.9 | 155.5275 | 110.9 | A | Simulcast | |
| 5 | Simplex | Fire Simplex | Fire/EMS | 155.9850 | 118.8 | 155.9850 | 118.8 | A | | |
| 6 | Simplex | Fire Ground 1 | Fire/EMS | 154.1300 | 127.3 | 154.1300 | 127.3 | A | Up to 100 watt mobile | |
| 7 | Simplex | Fire Ground 2 | Fire/EMS | 153.7925 | D152N | 153.7925 | D152N | A | 5 watt portable only | |
| 8 | Simplex | Fire Ground 3 | Fire/EMS | 159.1275 | D152N | 159.1275 | D152N | A | 5 watt portable only | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeaters must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | | Frequency Band | | Description | |
|--|-----------------------|---|----------------|----------------|-------------|----------------|-------------|----------------|----------------------|
| | | | | | | VHF | | Oxford County | |
| | Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks |
| 1 | Repeater | County Fire | Fire/Rescue | 154.0700 | 110.9 | 151.4525 | 82.5 | A | Spruce Mt/Woodstock |
| 2 | Repeater | County Fire | Fire/Rescue | 154.0700 | 110.9 | 151.4525 | 88.5 | A | Streaked Mt/Paris |
| 3 | Repeater | County Fire | Fire/Rescue | 154.0700 | 110.9 | 151.4525 | 77.0 | A | Black Mt/Rumford |
| 4 | Repeater | County Fire | Fire/Rescue | 154.0700 | 110.9 | 151.4525 | 94.8 | A | Pleasant Mt/Bridgton |
| 5 | Repeater | County Fire | Fire/Rescue | 154.0700 | 110.9 | 151.4525 | 103.5 | A | Peaked Mt/Hiram |
| 6 | Repeater | County Prime | Law Enf | 155.0700 | 192.8 | 151.2350 | 218.1 | A | Spruce Mt/Woodstock |
| 7 | Repeater | County Prime | Law Enf | 155.0700 | 192.8 | 151.2350 | 179.9 | A | Streaked Mt/Paris |
| 8 | Repeater | County Prime | Law Enf | 155.0700 | 192.8 | 151.2350 | 225.7 | A | Black Mt/Rumford |
| 9 | Repeater | County Prime | Law Enf | 155.0700 | 192.8 | 151.2350 | 210.7 | A | Pleasant Mt/Bridgton |
| 10 | Repeater | County Prime | Law Enf | 155.0700 | 192.8 | 151.2350 | 203.5 | A | Peaked Mt/Hiram |
| 11 | Simplex | County EMA | EMA | 159.9950 | | 155.9950 | | A | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | | Frequency Band | | Description | | |
|--|-----------------------|---|----------------|----------------|-------------|----------------|-------------|------------------|---------|--|
| | | | | | | VHF | | Penobscot County | | |
| | Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks | |
| 1 | Duplex | COM 2 Dixmont | All Users | 153.7400 | CSQ | 158.7750 | 100.0 | A | | |
| 2 | Duplex | COM 2 Blackcap | All Users | 153.7400 | CSQ | 158.7750 | 114.8 | A | | |
| 3 | Duplex | COM 2 Charleston | All Users | 153.7400 | CSQ | 158.7750 | 107.2 | A | | |
| 4 | Duplex | COM 2 Lincoln | All Users | 153.7400 | CSQ | 158.7750 | 94.8 | A | | |
| 5 | Duplex | COM 2 Springfield | All Users | 153.7400 | CSQ | 158.7750 | 82.5 | A | | |
| 6 | Duplex | COM 2 Medway | All Users | 153.7400 | CSQ | 158.7750 | 162.2 | A | | |
| 7 | Duplex | COM 2 Millinocket | All Users | 153.7400 | CSQ | 158.7750 | 118.0 | A | | |
| 8 | Duplex | COM 2 Patten | All Users | 153.7400 | CSQ | 158.7750 | 77.0 | A | | |
| 9 | Duplex | COM 2 Dexter | All Users | 153.7400 | CSQ | 158.7750 | 136.5 | A | | |
| 10 | Duplex | COM 3 Dixmont | All Users | 151.4075 | 100.0 | 156.2325 | 100.0 | A | | |
| 11 | Duplex | COM 3 Blackcap | All Users | 151.4075 | 100.0 | 156.2325 | 100.0 | A | | |
| 12 | Duplex | COM 3 Charleston | All Users | 151.4075 | 100.0 | 156.2325 | 100.0 | A | | |
| 13 | Duplex | COM 3 Dexter | All Users | 151.4075 | 100.0 | 156.2325 | 100.0 | A | | |
| 14 | Duplex | Brewer Fire | All Users | 154.4150 | 186.2 | 153.7700 | 186.2 | A | | |
| 15 | Duplex | Hampden Fire/PD | All Users | 155.8800 | 114.8 | 153.8300 | 114.8 | A | | |
| 16 | Duplex | Orono/Old Town | All Users | 155.7750 | 136.5 | 154.0700 | 136.5 | A | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | | Frequency Band | | Description | | |
|--|-----------------------|---|----------------|----------------|-------------|----------------|-------------|---------------------|---------|--|
| | | | | | | VHF | | Somerset County EMA | | |
| | Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks | |
| 1 | Repeater | County Fire N | Fire | 154.3250 | 118.8 | 150.7750 | 118.8 | A | | |
| 2 | Tactical | County Fire S | Fire | 154.3250 | 151.4 | 154.3250 | 151.4 | A | | |
| 3 | Repeater | County Fire C | Fire | 154.3250 | 173.8 | 150.7750 | 173.8 | A | | |
| 4 | Repeater | County Bald | Fire | 154.3250 | 146.2 | 150.7750 | 146.2 | A | | |
| 5 | Repeater | County Amb | EMS | 155.9025 | DPL 731 | 153.8375 | DPL 731 | A | | |
| 6 | Repeater | SO Eaton | Law Enf | 154.8300 | 151.4 | 158.9700 | 100 | A | | |
| 7 | Repeater | SO Squaw | Law Enf | 154.8300 | 118.8 | 158.9700 | 118.8 | A | | |
| 8 | Repeater | Somerset EMA | EMA | 154.9950 | DPL 731 | 153.9650 | DPL 731 | A | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an “N” or a “W”, depending on whether the frequency is narrow or wide band. Mode refers to either “A” or “D” indicating analog or digital (e.g. Project 25) or “M” indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | | Frequency Band | | | Description | |
|--|-----------------------|---|----------------|----------------|-------------|----------------|-------------|----------------|--------------------------|--|
| | | | | | | VHF/UHF | | | Waldo County EMA | |
| | Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks | |
| 1 | Repeater | WLDO EMA | EMA/IMAT | 156.1425 | 123 | 158.9700 | 123 | A | Located on Aborn Hill | |
| 2 | Simplex | EMA SIMP | EMA/IMAT | 156.1425 | | 156.1425 | 123 | A | Talk A Round | |
| 3 | Simplex | EMA TAC | EMA/IMAT | 155.7600 | | 155.7600 | | A | Tactical | |
| 4 | Repeater | CC-1 | All Govt | 155.6625 | 123 | 151.4300 | 123 | A | Located on Aborn Hill | |
| 5 | Repeater | CC-2 | All Govt | 159.1050 | 123 | 154.8975 | 123 | A | Located on Aborn Hill | |
| 6 | Repeater | CC-3 | All Govt | 159.4650 | 123 | 151.3250 | 123 | A | Located in S. Liberty | |
| 7 | Repeater | CC-4 | All Govt | 156.1875 | 123 | 158.9925 | 123 | A | Located in Stockton Spr | |
| 8 | Repeater | QUAKER HILL | All Govt | 155.1750 | | 154.0700 | 82.5 | A | Located in Unity | |
| 9 | Repeater | HARRIS | EMA/IMAT | 156.1725 | 123 | 159.0825 | 123 | A | Statewide EMA | |
| 10 | Simplex | WC TAC 1 | All Govt | 155.8275 | | 155.8275 | | A | Tactical | |
| 11 | Simplex | WC TAC 2 | All Govt | 158.9475 | | 158.9475 | | A | Tactical | |
| 12 | Simplex | WC TAC 3 | All Govt | 158.9775 | | 158.9775 | | A | Tactical | |
| 13 | Simplex | WC UHF 1 | All Govt | 453.7375 | | 453.7375 | | A | Tactical | |
| 14 | Simplex | WC UHF 2 | All Govt | 458.7375 | | 458.7375 | | A | Tactical | |
| 15 | Repeater | FIRE NRTH | Fire/EMS | 155.3850 | 123 | 153.9500 | 123 | A | To Call Waldo RCC | |
| 16 | Repeater | FIRE SOTH | Fire/EMS | 159.1350 | 123 | 151.1000 | 123 | A | To Call Waldo RCC | |
| 17 | Repeater | WLDO SO | Law | 156.0300 | 127.3 | 159.0300 | 127.3 | A | Simulcast System | |
| 18 | Repeater | LE-2 | Law | 154.7325 | 127.3 | 158.8425 | 127.3 | A | Simulcast System | |
| 19 | Simplex | MCP Link | EMA/IMAT | 155.5200 | | 155.5200 | | A | Link to Vehicle Repeater | |
| 20 | Simplex | WC LVHF | EMA/IMAT | 42.1400 | | 42.1400 | | A | Tactical | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET | | | | | | Frequency Band | | Description | | |
|--|-----------------------|---|----------------|----------------|-------------|----------------|-------------|-----------------------|---------------------------|--|
| | | | | | | VHF | | Washington County EMA | | |
| | Channel Configuration | Channel Name/Trunked Radio System Talkgroup | Eligible Users | RX Freq N or W | RX Tone/NAC | TX Freq N or W | Tx Tone/NAC | Mode A, D or M | Remarks | |
| 1 | Simplex | County Fire | FD/IMAT | 154.1900 | | 154.1900 | 107.2 | A | | |
| 2 | Repeater | Reg 8 Cooper | FD/IMAT | 154.9950 | | 153.7850 | 107.2 | A | Hub covers most of County | |
| 3 | Repeater | Reg 8 Mitton | FD/IMAT | 154.9950 | | 153.7850 | 179.9 | A | West part of county | |
| 4 | Repeater | Reg 8 Musquash | FD/IMAT | 154.9950 | | 153.7850 | 118 | A | North to Aroostook | |
| 5 | Repeater | Reg 8 Cherryfield | FD/IMAT | 154.9950 | | 153.7850 | 151.4 | A | Far west part of county | |
| 6 | Repeater | SO Cooper | Law | 155.5650 | | 154.7400 | 192.8 | A | Hub covers most of County | |
| 7 | Repeater | SO Mitten | Law | 155.5650 | | 154.7400 | 179.9 | A | West part of county | |
| 8 | Repeater | SO Danforth | Law | 155.5650 | | 154.7400 | 118.8 | A | North to Aroostook | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

The convention calls for frequency lists to show four digits after the decimal place, followed by either an “N” or a “W”, depending on whether the frequency is narrow or wide band. Mode refers to either “A” or “D” indicating analog or digital (e.g. Project 25) or “M” indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.

| Communications Resource Availability Worksheet | | | Telephone Numbers | |
|--|----------------|-------------------------|-------------------|----------------|
| Type of Phone | Type of System | Agency | Unit | Phone # |
| Phone Handset | Iridium | Maine ANG | Mobile EOC | 407-455-7122 |
| Satellite Phone | Iridium | Maine EMA | EOC | 8816-414-55405 |
| Satellite Phone | Iridium | Maine EMA | Duty Officer | 8816-514-40432 |
| Satellite Phone | Iridium | Maine Forest Service | MFS MCV | 8816-514-58484 |
| Phone Handset | cell/sat | Maine State Police | State Police MCV | 592-1872 |
| Phone Handset | cell/sat | Maine Warden Service | Warden MCV | 399-2280 |
| | | | | |
| Satellite Phone | Iridium | Androscoggin County EMA | MCV | 8816-514-40418 |
| Satellite Phone | Iridium | Aroostook County EMA | EOC | 8816-514-15137 |
| Satellite Phone | Iridium | Cumberland County EMA | EOC | 8816-514-40419 |
| Satellite Phone | Iridium | Franklin County EMA | EOC | 8816-514-40420 |
| Satellite Phone | Iridium | Hancock County EMA | SUV | 8816-514-15138 |
| Satellite Phone | Iridium | Kennebec County EMA | Comm Trailer | 8816-514-40421 |
| Satellite Phone | Iridium | Knox County EMA | EOC | 8816-514-40422 |
| Satellite Phone | Iridium | Lincoln County EMA | EOC | 8816-514-40423 |
| Satellite Phone | Iridium | Oxford County EMA | Comm Trailer | 8816-514-40424 |
| Satellite Phone | Iridium | Piscataquis County EMA | Response Vehicle | 8816-514-40426 |
| Satellite Phone | Iridium | Sagadahoc County EMA | EOC/SUV | 8816-514-40427 |
| Satellite Phone | Iridium | Somerset County EMA | EOC | 8816-514-40430 |
| Satellite Phone | Iridium | Waldo County EMA | MCP | 8816-514-40428 |
| Satellite Phone | Iridium | Washington County EMA | EOC | 8816-514-40431 |
| Satellite Phone | Iridium | York County EMA | EOC | 8816-514-40429 |
| Phone Handset | cell/sat | York County EMA | York MCV | 651-4117 |
| | | | | |
| Phone Handset | cell/sat | City of Bangor | Bangor MCV | 991-8340 |
| Phone Handset | cell/sat | City of Bangor | Bangor MCV | 991-8341 |
| Phone Handset | cell/sat | City of Bangor | Bangor MCV | 991-8342 |
| Satellite Phone | Iridium | City of Bangor | Bangor MCV | 8816-514-40425 |
| Satellite Phone | Iridium | Vinalhaven | | 8816-224-55054 |
| | | | | |
| | | | | |
| | | | | |

Sat to Landline: 001+area code+ number

Landline to Sat: 011+satellite number

Sat to Sat: Press "00" to get a "+" then dial number

| Communications Resource Availability Worksheet | | | E-Mail |
|--|--------------------------|--|--|
| Agency | Unit | Email 1 | Email 2 |
| Maine ANG (101st) | Mobile EOC Trailer | 101meoc@gmail.com | |
| Maine ANG (265th) | Air JISCC Terminal T-135 | | |
| Maine ArNG (CST) | Mobile Command Vehicle | | |
| | | | |
| Maine ArNG (JumpTOC1) | TAC Comm Trailer | | |
| Maine ArNG (JumpTOC2) | TAC/Retrans Trailer | | |
| | | | |
| Maine Forest Service | Mobile Command Vehicle | Contact individual rangers | |
| Maine State Police | Mobile Command Vehicle | mspimat@gmail.com | |
| Maine Warden Service | Mobile Command Vehicle | Contact individual wardens | |
| | | | |
| Androscoggin County EMA | Communications Van | | |
| Auburn/Region II IMAT | | AuburnIMAT@Auburnmaine.gov | |
| Aroostook County EMA | Command Trailer | eoc@aroostookema.com | aroostookema@gmail.com |
| Cumberland County EMA | Ham Radio Trailer | | |
| Franklin County EMA | Command/HazMat Trailer | thardy@fncome.com | |
| Kennebec County EMA | Communications Trailer | | |
| Hancock County EMA | Communications Trailer | HKEMAmobile@gmail.com | |
| Knox County EMA | Communications Trailer | kxeoc@knoxcountymaine.gov | |
| Lincoln County EMA | Command Trailer | | |
| Oxford County EMA | Communications Trailer | oxfordarescv@gmail.com | |
| Penobscot County EMA | Ham Radio Trailer | No E-Mail at this time | |
| City of Bangor | Mobile Command Vehicle | bangormcv@bangormaine.gov | |
| Piscataquis County EMA | Mobile Command Truck | ema@piscataquis.us | |
| Somerset County EMA | Ham Radio Truck | | |
| Waldo County EMA | Mobile Command Van | mobileeoc@waldocountyme.gov | |
| Waldo County EMA | Ham Radio Truck | waldoraces@gmail.com | |
| York County EMA | Mobile Command Vehicle | awcleaves@yorkcountymaine.gov | |
| | | | |
| | | | |
| | | | |
| | | | |

Maine ARES Frequencies

| VHF/UHF | | | | | | | |
|----------------|--------|---|-----------|----------|------------------|---------------------|---------------|
| County | Mode | Primary | Secondary | Tertiary | Primary Repeater | Secondary Repeater | Notes |
| Androscoggin | Analog | 146.460 | 147.540 | 146.430 | 146.610 | | |
| Aroostook | Analog | 146.475 | 147.510 | 146.505 | 146.730 | | |
| Cumberland | Analog | 146.415 | 147.525 | 146.535 | 146.730 (100.0) | | |
| Cumberland-ECT | Analog | 146.580 | 146.595* | 147.585 | 147.090 (100.0) | UHF x-band: 446.500 | |
| Franklin | Analog | 146.535 | 147.570 | 146.580 | 147.180 (123.0) | | |
| Hancock | Analog | 146.565 | 147.495 | 146.535 | 146.910 (151.4) | | |
| Kennebec | Analog | 147.480 | 146.475 | 147.450 | 145.390 (100.0) | | |
| Knox | Analog | 147.540 | 146.475 | 147.450 | 147.060 (91.5) | 145.490 (91.5) | Linked |
| Lincoln | Analog | 147.510 | 146.505 | 147.450 | 146.985 (100.0) | | |
| Oxford | Analog | 146.550 | 147.435 | 146.505 | 146.880 (100.0) | | |
| Penobscot | Analog | 147.565 | 146.550 | 147.555 | 145.450 (67.0) | | |
| | | 446.050 | 446.150 | 446.250 | | | |
| Piscataquis | Analog | 146.400 | 147.450 | 146.565 | 147.105 (103.5) | 147.150 (71.9) | |
| Sagadahoc | Analog | 146.490 | 147.555 | 146.565 | 147.210 (100.0) | | |
| Somerset | Analog | 147.420 | 146.430 | 147.525 | 146.730 (91.5) | | |
| Waldo | Analog | 146.430 | 147.465 | 146.460 | 147.270 (136.5) | | |
| Washington | Analog | 147.525 | 146.460 | 147.570 | 147.330 (118.8) | | |
| York | Analog | 147.570 | 146.445 | 147.540 | 147.345 (123.0) | | |
| State Coord. | Analog | 52.525 | 146.520 | 223.500 | 446.000 | KQ1L System | dhawke.com |
| Statewide | DMR | 145.790 | 145.510 | | | | maine-dmr.org |
| HF | | | | | | | |
| 3940.0 kHz | Night | Statewide HF Coordination. | | | | | |
| 7262.0 kHz | Day | 1900L: MECN (Sun); SGN (M-Sat). 0900L: MPSN (Sun) | | | | | |
| 3583.0 kHz | Night | Digital Modes (NBEMS) | | | | | |
| Unassigned | Day | +1000 Hz Olivia 8/500 keyboard net ops; Thor 50x1 file transfer | | | | | |

Notes:

Analog = analog voice, can accommodate digital data and image.

Frequencies in red have been allocated to possible repeater usage per the Jan 2015 NESMC 2 meter band plan.

*Cumberland-ECT and Gray NWS will use Cumberland's secondary simplex for Skywarn.

